

CHAPTER 9

References

Atta-Ur-Rahman, S.B., Sumaya, S.I.M., Choudhary, F.A., 1997. A steroid glycoside from *Clerodendron inerme*. *Phytochemistry* 46 (8) 1721-1722.

Atta-ur-Rahman, Seema, Z., Iqbal, C.M., Ngounou, F.M., Amsha, Y., 2002. Terminalin A, a novel triterpenoid from *Terminalia glaucescens* *Tetrahedron Letters* (43), 6233-62.

Baba-Moussa, F., Akpagana, K., Bouchet, P., 1999. Antifungal activities of seven West African Combretaceae used in traditional medicine. *Journal of Ethnopharmacology* 66 (3), 335 - 338.

Begue, W.J., Kline, R.M., 1972. The use of tetrazolium salts in bioautographic procedures. *Journal of Chromatography* 64, 182 - 184.

Berkowitz, F.E., 1995. Antibiotic resistance in bacteria. *Southern Africa Medical Journal* 88, 797 - 804.

Boller, T., 1987. Hydrolytic enzymes in plant disease resistance. In: *Plant-microbe interactions, molecular and genetic perspectives*, eds T. Kosuge, E. W. Nester 2, 385 - 413. Macmillan, New York.

Breytenbach, J.C., Malan, S.F., 1989. Pharmacochemical properties of *Combretum zeyheri*. *South African Journal of Science* 85, 372-374.

Carr, J.D., 1988. *Combretaceae in Southern Africa*. The Tree Society of Southern Africa, Johannesburg.

Chandan, S., 1990. 2 α -Hydroxymicromeric acid, a pentacyclic triterpene from *Terminalia chebula*. *Phytochemistry* (29), 2348-2350.

Carr, J.D., Klessig, D.F., 1989. The pathogenesis-related proteins of plants. In: *Genetic engineering principles and methods*, ed J. K. Setlow, 65-109. Plenum Press, New York and London.

Carr, J.D., Rogers, C.B., 1987. Chemosystematic studies of the genus *Combretum* (Combretaceae). 1. A convenient method of identifying species of this genus by a comparison of the polar constituents extracted from leaf material. South African Journal of Botany 53, 173-176.

Cowan, M.M., 1999. Plant Products as Antimicrobial Agents. Clinical Microbiology Reviews 12, 564 - 582.

Cox, P.A., 1994 The ethnobotanical approach to drug discovery: Strengths and limitations. In: Prance, G.T. Ethnobotany and the search for new drugs. Wiley, Chrichester [Ciba Foundation Symposium 185].

De Sousa, J., Silva, G.D.F., Pedesl, J.L., Alves, R.J., 1990. Secomultiflorane-type triterpenoid acids from *Sandoricum koetjape*. Phytochemistry 29, 32-59.

Djoukeng, D., Abou-Mansour, Tabacchi T., Tapondjou AL., Bouda H., Lontsi D., Antibacterial triterpenes from *Syzygium guineense* (Myrtaceae). Journal of Ethnopharmacology (101), 283-286

Dean, R.A., Kuc, J., 1987. Immunization against disease: the plant fights back. In: Fungal infection of plants, G. F. Pegg, P. G.. Ayers, 383- 410. Cambridge University Press, Cambridge.

Delaquis, P.J., Stanich, K., Girard, B., Mazza, G., 2002. Antimicrobial activity of individual mixed fractions of dill, *Cilantro*, coriander and eucalyptus essential oils. Int. Journal of Food Microbiology 74, 101-109.

Didry, N., Dubreuil, L., Pinkas, M., 1994. Activity of thymol, carvacol on the oral bacteria. Pharmaceut. Acta Helv 69, 25-28.

Duan, H., Takaihi, H. M., 2001. Immunosuppressive terpenoids from extracts of *Tripterygium wilfordi*. Tetrahedron 57, 8413-8424.

Eloff, J.N., 1998a. Conservation of medicinal plants: Selecting medicinal plants for research and gene banking. Genes III: Conservation and utilization of African Plants. Monographs in systematic Botany from the Missouri Botanical Garden.

Eloff, J.N., 1998b. The presence of antimicrobial compounds in *Anthocleista grandiflora* (Loganiaceae). Journal of Botany 64, 20-212.

Eloff, J.N., 1998c. A sensitive and quick microplate method to determine the minimum inhibitory concentration of plant extracts for bacteria. *Planta Medica* 64, 711-714.

Eloff, J.N., 1999a. The antibacterial activity of 27 South African members of the Combretaceae. *South African Journal of Science*, 95, 148-152.

Eloff, J.N., 1999b. It is possible to use herbarium specimens to screen antibacterial components in some plants. *Journal of Ethnopharmacology* 67, 355-360.

Eloff, J.N., 2004. Quantifying the bioactivity of plant extracts during screening and bioassay-guided fractionation. *Phytomedicine* 11, 370-370.

Eloff, J.N., Famakin JO and Katerere 2005. Isolation of an antibacterial stilbene from *Combretum woodii* (Combretaceae) leaves. *African Journal of Biotechnology* 4, 1166-1171.

Evans, W. C., 1989. Trease and Evans' Textbook of Pharmacognosy, 13th Edition, Bailliere, Tindall, London, 26-35.

Farnsworth, N. R., Soejarto, D.D., 1991. Global importance of medicinal plants. In *Conservation of Medicinal Plants*, eds O. Akerele, V Heywood, H. Synge, pp 25 - 51. Cambridge University Press, Cambridge.

Farnsworth, N. R., Morris, R. W., 1976. Higher plants: the sleeping giants of drug development. *Am. J. Pharm.* 148, 46 - 52.

Fanaki, N.E.N., 1997. Antimicrobial activity of some essential oil components against multi-resistant clinical isolates. *Alex. J. Pharm. Sci.*, 11(3), 149-153.

Farnsworth, N. R., 1984. The role of medicinal plants in drug development. In: *Natural products and Drug Development*, eds P. Krogsgaard-Larsen, S. B. Christensen, H. Kofod, 8 - 98. Balliere, Tindall and Cox, London.

Farnsworth, N. R., Morris, R. W., 1976. Higher plants: The sleeping giants of drug development. *Am. Journal of Pharmacology* (148), 46 - 52.

Farnsworth, N.R., 1994. The ethnobotanical approach to drug discovery: strengths and limitations. In: Ethnobotany and the search for new drugs. Ciba Foundation Symposium 185, Wiley, Chichester, 42-59.

Farnsworth, N.R., Akerele, O., Bingel, A. S., 1985. Medicinal plants in therapy. Bull. World Health Organization (63), 965 – 98.

Farnsworth, N.R., Soejarto, D.D., 1991. Global importance of medicinal plants. In: Conservation of Medicinal Plants, eds O Akerele, V Heywood, H Syngé. Cambridge University Press, Cambridge, 25-51.

Farnsworth, N. R., 1984. The role of medicinal plants in drug development. In Natural products and Drug Development, eds P. Krogsgaard-Larsen, S. B. Christensen, H. Kofod, pp. 8 - 98. Balliere, Tindall and Cox, London.

Farnsworth, N. R., Akerele, O., Bingel, A. S., et al, 1985. Medicinal plants in therapy. Bull. World Health Organiz. 63, 965 - 981.

Friebolin H., 1998. Basic –One and Two-Dimensional NMR spectroscopy. Third revised Edition.

Gelfand, M., Mavi. S., Drummond, R.B., Ndemera B., 1985. The Traditional Medical Practitioner in Zimbabwe. Mambo Press, Gweru, Zimbabwe.

Goodwin, I.W., 1981. In: Biosynthesis of isoprenoid compounds (J W Porter *et al*) Wiley, New York.

Grayer, R.J., Harbone, J.B., 1994. A survey of antifungal compounds from higher plants. Phytochemistry (37), 74-79.

Grayer, R.J., Harbone, J.B., Kimmins, F.M., Stevenson, P.C., Wijayagunasekera, H.N.P., 1994. Phenolics in rice phloem sap as sucking deterrents to the brown plant hopper, *Nilaparvata lugens*. Acta Horticulture (381), 691-694.

Hammersmidt, R., Nuckles, E., Kuc, J., 1982. Association of peroxidase activity with induced systemic resistance in cucumber to *Colletotrichum lagenarium*. Physiology. Plant. Pathology. (20) 73 – 82.

Harbone, 1994. The Flavonoids: Advance in Research since 1986, Chapman and Hall, London.

Harold, C.N., 1992a. The Crisis in Antibiotic Resistance. *Science* (257) 1064 - 1072.

Harold, R.L., Heath, I.B., 1992b. *Journal of Cell Science* 102 (3) 611-627, 68 ref. [Added: 19921121].

Harris, R. 2003. Synergism in the essential oil world. *The international Journal of Aromatherapy* (12), 199-185

Herdberg, M., Staugard, P., 1989. Traditional medicine in Botswana. *Traditional Medicinal Plants*. Gaborone Ipelegeng.

<http://www.biosafety.ihe.de>, 1999

<http://biosafety.ihe.be/AR/Armenu.htm> (2001)

Hewitt, W., Vincent, S., 1989. *Theory and application of microbiological assay*. Academic Press, London.

Hostettmann, K., Marston, A., Maillard, M., Hamburger, M., 1996. Phytochemistry of plants used in traditional medicine 408.

Houghton, P.J., Raman, A., 1998. *Laboratory Handbook for the Fractionation of Natural Extracts*. Chapman and Hall, London.

Hutchings, A., Scott, A.H., Lewis, G., Cunningham, A.B., 1996. *Zulu medicinal plants – an inventory*. University of Natal Press, Petermaritzburg, South Africa.

Iwu, M.W., Duncan, A.R., Okunji, C.O., 1999. New Antimicrobials of Plant Origin. In: *Perspectives on new crops and new uses*, Jannick, J., 457 - 462. ASHS Press, Alexandria, VA.

Katerere, D.R.P., 2001. *Phytochemical and Pharmacological Studies of Species of African Combretaceae*. PhD thesis (unpublished), University of Strathclyde, UK.

Katerere, D.R., Gray, A.I., Nash, R.J., Waigh, R.D., 2002. Antimicrobial activity of pentacyclic triterpenes isolated from African Combretaceae. *Phytochemistry* 63, 81-88.

Kings, S.S., 2000. Antibiotic resistance and problems are we part of the "Problems"? <http://www.agric.gov.ab.ca/livestock> (2002)

Kuc, J., 1985. Increasing crop productivity and value by increasing disease resistance through non-genetic techniques. In: Forest potentials: productivity and value., ed R. Ballard, 147-190. Weyerhaeuser Company Press, Centralia.

Kuc, J., 1990. Compounds from plants that regulate or participate in disease resistance. Bioactive compounds from plants. Wiley, Chichester (Ciba Foundation Symposium 154), 213 - 228.

Leggiadro, R.J., 1995. Emerging drug-resistant bacteria: The wake-up call has come. Southern Africa Medical Journal 88, 884-885.

Letcher, R.M., Nhamo, L.R.M., 1973. Chemical constituents of the Combretaceae. Part IV. Phenanthrene derivatives from the hardwood of the *Combretum heteroense*. Journal of the Chemical Society Perkin Transactions (24), 127-129.

Low, D., Rawal, B.D., Griffin, W.J., 1974. Antibacterial action of the essential oils of some Australian Myrtaceae with special references to the activity of chromatography fractions of oil of *Eucalyptus citriodora*. Planta Med., (26) 184-189.

Martni, ND., Katerere, DR., Eloff, JN., 2004. Seven flavonoids with antibacterial activity isolated from *Combretum erythrophyllum*. South Journal of Botany 70, 310-312.

Mahato, S.B., Nandy, A.K., 1991. Triterpenoid saponins discovered between 1987 and 1989. Phytochemistry, (5), 30

Malan, E., Swinny, E., 1993. Substituted biphenyls, phenanthrenes and 9, 10-dihydro phenanthrenes from the heartwood of *Combretum apiculatum*. Phytochemistry 34, 1139-1142.

Malone, M.H., 1983. The pharmacological evaluation of natural products. General and specific approaches to screening ethnopharmaceuticals. Journal of Ethnopharmacology 8, 127-147.

Marston, B., Hostettmann, K., 1985. Review articles 6: Plant molluscicides. Phytochemistry 24, 639-652.

Martini, N.D., 2001. The isolation and characterization of antibacterial compounds from *Combretum erythrophyllum* (Burch.) Sond, PhD thesis, University of Pretoria.

Martini, N.D., Eloff, J. N., 1998. The preliminary isolation of several antibacterial components from *Combretum erythrophyllum* (Combretaceae). J. Ethnopharmacology (62), 255-263.

Martini, N.D., Katerere, D.R.P., Eloff, J.N., 2004, Biological activity of five antibacterial compounds from *Combretum erythrophyllum* (Combretaceae). Journal of Ethnopharmacology (93) 207-212.

McGaw, L. J., Rabe, T., Sparg, S. G., Jager, A. K., Eloff, J. N., van Staden, J., 2001. An investigation on the biological activity of *Combretum* species. Journal of Ethnopharmacology 25, 45- 50.

Mukherjee, K.S., Brahmachari, G., Mann T.K., 1994. Triterpene from *Limnophilia heterophylla*. Phytochemistry (38), 1273-1274.

National Committee for Clinical Laboratory Standards, 1992. Performance standards for antimicrobial disk susceptibility tests- fourth edition; Approved Standard. NCCLS Document M2-A4, Villanora, Pa NCCLS.

Narayana, k.R, Sripal, RM., Chaluvadi, MR., Krishna, DR., 2000. Bioflavonoids Classification, Pharmacological, Biochemical effects and therapeutic potential. Indian Journal of Pharmacology 2001; 33: 2-16 educational forum

Neri, P., Tringali, C., 2001. Application of modern NMR techniques in the structure elucidation of bioactive natural products. Tringali, 69-128.

Nokano, K.Y.O., Yoshihisa T., 1997. A novel epoxy-triterpene and nortriterpene from cultures of *Tripterygium wilfordii*. Phytochemistry (46), 1182.

Panzini, I., Pelizzoni, F., Verrotta, L., Rogers, C. B., 1993. Constituents of the fruit of South African *Combretum* species. South African Journal of Science , (89) 324 -328.

Penning, T.M., 1983. Inhibition of β -Dihydrocortisone reduction in rat liver cytosol: A rapid spectrophotometric screen for nonsteroidal anti-inflammatory drug potency. *Journal of Pharmaceutical Sciences* 74.

Pettit G.R., Herald., Schimdt, J.M., Lohavanijaya, P., 1982. Isolation and structure of combretastain C. *Journal of ethnopharmacology* (60) 1374-1376.

Pettit G.R., H.M.S., Doubek D.L., Schimdt J.M., Pettit R.K., Tackett L.P., Chapuis J.C., 1996. Antineoplastic agent 338. The cancer cell growth inhibitory constituents of *Terminalia arjuna* (Combretaceae). *Journal of Ethnopharmacology* 53, 57-63.

Pettit, G.R., Singh, S. B., 1987. Isolation, structure, and synthesis of combrestatin A-2, A-3, and B-2. *Can. J. Chem.* 65, 2390 - 2395.

Rao, N., Kuc, J., 1990. Induced systemic resistance in plants. In: *The fungal spore and disease initiation in plants and animals*, G. T. Cole, H. C. Hoch. Plenum Press New York.

Rogers, C.B., 1996. Chemistry and biological properties of the African Combretaceae. Proceedings of the first international IOCD symposium 25-28 February, Victoria Falls, Zimbabwe.

Rogers, C.B., Subramony, G., 1988. The structure of imberbic acid, a 1α -hydroxy pentacyclic triterpenoid from *Combretum imberbe*. *Phytochemistry*. (27), 531 - 553.

Rogers, C.B., 1989a. Isolation of the 1α -hydroxycycloartenoid mollic acid α -L-arabinoside from *Combretum edwardsii* leaves. *Phytochemistry* (28), 279 - 281.

Rogers, C.B., 1989b. New mono- and desmosidic triterpenoids isolated from *Combretum padoides* leaves. *Journal of Natural Products* (56), 528-533.

Rogers, C.B., 1995. Acidic dammarane arabinofuranosides from *Combretum rofundifolium*. *Phytochemistry* (40), 833-836.

Rogers, C.B., Verotta L., 1996, In Biological and Pharmacological Properties of African Medicinal Plants, eds F. Hostettmann, M. Chinyangaya, M. Maillard, J.L. Wolfender. University of Zimbabwe Publications, Harare. 121-141.

Sofowora, A., 1984. Medicinal Plants and Tradition in Africa Medicine, part 11.

Stermer, B. A., Hammerschmidt, R., 1987. Association of heat shock induced resistance to disease with increased accumulation of insoluble extensin and ethylene synthesis. *Physiol Mol Plant Pathol*, 31, 453 - 461.

Steyn, M., 1994. South African *Combretum* and *Terminalia* Identification Guide, 45-47

Suffness, M., Dous, J., 1979. Drugs of plant origin. *Methods in Cancer Research* (26), 73-126.

Taylor, R.S., Manadhar, N.P., Towers, G.H.N., 1995. Screening of selected medicinal plants of Nepal for antimicrobial activities. *Journal of Ethnopharmacology* (46), 153-159.

Tyler, V.E., 1997. Rational phytotherapy, 3rd edition. Springer-Verlag, Berlin, Heidelberg, New York.

Tyler, V. E., 1997. Rational phytotherapy, 3rd edition, Springer-Verlag, Berlin, Heidelberg, New York.

Vlietick, A.J., Van Hoof, M.J., Totte, J., E.H., Lasure, A., Van den, B.D., Rwangabo, P.C., Mvukiyumwami, J., 1995. Screening of hundred Rwadese medicinal plants for antimicrobial and antiviral properties. *Journal Microbiology* (6) 31-47.

Watt, J.M., Breyer-Brandwijk, M.G., 1962. The medicinal and poisonous plants of southern and eastern Africa. Livingstone, Edinburgh VK (58), 62-68